

【電力モニタ機器】一覧

●カレントセンサ

	外 観	型 式	仕 様	備 考
スイッチ（ON / OFF 出力）		H300	SP固定, 分割型, 0.15-60A, NO, 1.0A, 30VAC/DC	
		H600	SP固定, 分割型, 0.15-200A, NO, 1.0A, 30VAC/DC	
		H900	SP固定, 分割型, 1.5-200A, NO, 1.0A, 30VAC/DC	
		H800	SP固定, 貫通型, 0.25-200A, NO, 1.0A, 30VAC/DC	
		H800NC	SP固定, 貫通型, 0.5-200A, NC, 0.1A, 30VDC	
		H800HV	SP固定, 貫通型, 0.75-200A, NO, 0.5A, 250VAC/DC	
		H308	SP可変, 分割型, 0.75-50A, NO, 1.0A, 30VAC/DC	
		H608	SP可変, 分割型, 1.25-50A, NO, 1.0A, 30VAC/DC	
		H908	SP可変, 分割型, 2.5-135A, NO, 1.0A, 30VAC/DC	
		H609	SP可変, 分割型, 1.25-50A, NO, 0.2A, 120VAC/DC	
		H909	SP可変, 分割型, 2.5-135A, NO, 0.2A, 120VAC/DC	
		H606	SP可変, 分割型, 1.25-50A, NC, 0.1A, 30VDC	
		H701	SP可変, 貫通型, 1-135A, NO, 1.0A, 30VAC/DC	
		H708	SP可変, 貫通型, 1-135A, NO, 1.0A, 30VAC/DC	
		H808	SP可変, 貫通型, 0.75-50A, NO, 1.0A, 30VAC/DC	
		H709	SP可変, 貫通型, 1-135A, NO, 0.2A, 120VAC/DC	
		H809	SP可変, 貫通型, 0.75-50A, NO, 0.2A, 120VAC/DC	
		H706	SP可変, 貫通型, 1-135A, NC, 0.1A, 30VDC	
		H10F	SP自動, 分割型, 3.5-100A, NO, 1.0A, 30VAC/DC	
		H904	SP自動, 分割型, 3.5-135A, NO, 0.1A, 30VAC/DC	
		H934	SP自動, 分割型, 3.5-135A, NO, 0.1A, 30VAC/DC, SPST	
		H930	SP固定, 分割型, 1.5-200A, NO, 1.0A, 30VAC/DC, SPST	
		H940	SP固定, 分割型, 1.5-200A, NO, 1.0A, 30VAC/DC, SPDT	
		H950	SP固定, 分割型, 1.5-200A, NO, 1.0A, 30VAC/DC, SPST	
		H730	SP固定, 貫通型, 0.5-200A, NO, 1.0A, 30VAC/DC, SPST	
		H740	SP固定, 貫通型, 0.5-200A, NO, 1.0A, 30VAC/DC, SPDT	
		H750	SP固定, 貫通型, 0.5-200A, NO, 1.0A, 30VAC/DC, SPST	
		H938	SP可変, 分割型, 2.5-135A, NO, 1.0A, 30VAC/DC, SPST	
		H948	SP可変, 分割型, 2.5-135A, NO, 1.0A, 30VAC/DC, SPDT	
		H958	SP可変, 分割型, 2.5-135A, NO, 1.0A, 30VAC/DC, SPST	
		H939	SP可変, 分割型, 2.5-135A, NO, 0.2A, 120VAC/DC, SPST	
		H949	SP可変, 分割型, 2.5-135A, NO, 0.2A, 120VAC/DC, SPDT	
		H959	SP可変, 分割型, 2.5-135A, NO, 0.2A, 120VAC/DC, SPST	
		H735	SP可変, 貫通型, 1-135A, NO, 0.1A, 30VAC/DC, SPST	
		H738	SP可変, 貫通型, 1-135A, NO, 1.0A, 30VAC/DC, SPST	
		H748	SP可変, 貫通型, 1-135A, NO, 1.0A, 30VAC/DC, SPDT	
		H758	SP可変, 貫通型, 1-135A, NO, 1.0A, 30VAC/DCSPST	
		H739	SP可変, 貫通型, 1-135A, NO, 0.2A, 120VAC/DCSPST	
		H749	SP可変, 貫通型, 1-135A, NO, 0.2A, 120VAC/DCSPDT	
トランスデューサ（アナログ出力）		H921	4-20mA, 分割型, 0-30/60/120A	
		H221	4-20mA, 分割型, 0-(100-300)A	
		H221SP	4-20mA, 分割型, 0-(100-300)A, Cal.Span	
		H321	4-20mA, 分割型, 0-(300-800)A	
		H321SP	4-20mA, 分割型, 0-(300-800)A, Cal.Span	
		H421	4-20mA, 分割型, 0-(1000-2400)A	
		H421SP	4-20mA, 分割型, 0-(1000-2400)A, Cal.Span	
		H721LC	4-20mA, 貫通型, 0-10/20/40	
		H721HC	4-20mA, 貫通型, 0-50/100/200	
		H922	0-5V, 分割型, 0-30/60/120A	
		H922030A	0-5V, 分割型, 0-30A, 0-5VDC	
		H922060A	0-5V, 分割型, 0-60A, 0-5VDC	
		H922120A	0-5V, 分割型, 0-120A, 0-5VDC	

・カレントセンサ(つづき)

	外 観	型 式	仕 様	備 考
トランスデューサ(アナログ出力)		H722LC	0-5V, 貫通型, 0-10/20/40A, 0-5VDC	
		H722HC	0-5V, 貫通型, 0-50/100/200A, 0-5VDC	
		H822	0-5V, 貫通型, 0-10A, 0-5VDC	
		H822-20	0-5V, 貫通型, 0-20A, 0-5VDC	
		H923	0-10V, 分割型, 0-20/100/150A	
		H723LC	0-10V, 貫通型, 0-10/20/40A, 0-10V	
		H723HC	0-10V, 貫通型, 0-50/100/200A, 0-10V	
		H931	4-20mA, 分割型, 0-30/60/120A, SPST, 24VAC/DC	
		H951	4-20mA, 分割型, 0-30/60/120A, SPST, 9-12VDC	
		H932	0-5V, 分割型, 0-30/60/120A, SPST, 24VAC/DC	
		H952	0-5V, 分割型, 0-30/60/120A, SPST, 9-12VDC	
		H970LCA	4-20mA+0-5V, 分割型, DC0-20/40/80A	
		H970LCB	4-20mA+0-10V, 分割型, DC0-20/40/80A	
		H970HCA	4-20mA+0-5V, 分割型, DC0-50/100/200A	
		H970HCB	4-20mA+0-10V, 分割型, DC0-50/100/200A	
		H971	4-20mA, 分割型, DC±200A	
		H971SP	4-20mA, 分割型, DC±199A	
センサ(電流出力)		AL500	貫通型, 50A-5A, 2.0VA, Small	
		AL101	貫通型, 100A-5A, 2.0VA, Small	
		AL151	貫通型, 150A-5A, 4.0VA, Small	
		AL201	貫通型, 200A-5A, 4.0VA, Small	
		AL251	貫通型, 250A-5A, 6.0VA, Small	
		AL301	貫通型, 300A-5A, 8.0VA, Small	
		AL401	貫通型, 400A-5A, 10.0VA, Medium	
		BL501	貫通型, 500A-5A, 12.5VA, Medium	
		BL601	貫通型, 600A-5A, 15.0VA, Medium	
		BL801	貫通型, 800A-5A, 8.0VA, Medium	
		BL102	貫通型, 1000A-5A, 10.0VA, Medium	
		BL122	貫通型, 1200A-5A, 12.5VA, Medium	
		CL122	貫通型, 1200A-5A, 10.0VA, Large	
		CL152	貫通型, 1500A-5A, 12.5VA, Large	
		CL162	貫通型, 1600A-5A, 12.5VA, Large	
		CL202	貫通型, 2000A-5A, 15.0VA, Large	
		H6810-100A-5A	分割型, 100A-5A, 0.7VA, Small	
		H6810-200A-5A	分割型, 200A-5A, 2.5VA, Small	
		H6810-300A-5A	分割型, 300A-5A, 2.5VA, Small	
		H6811-400A-5A	分割型, 400A-5A, 5.0VA, Medium	
		H6811-600A-5A	分割型, 600A-5A, 5.0VA, Medium	
		H6811-800A-5A	分割型, 800A-5A, 12.5VA, Medium	
		H6812-800A-5A	分割型, 800A-5A, 5.0VA, Large	
		H6812-1000A-5A	分割型, 1000A-5A, Large	
		H6812-1200A-5A	分割型, 1200A-5A, 22.5VA, Large	
		H6812-1600A-5A	分割型, 1600A-5A, 22.5VA, Large	
		H6812-2000A-5A	分割型, 2000A-5A, 22.5VA, Large	
		H6812-2400A-5A	分割型, 2400A-5A, 45.0VA, Large	
センサ(電圧出力)		H6810-100A-.3V	分割型, 100A-0.333V, Small	
		H6810-200A-.3V	分割型, 200A-0.333V, Small	
		H6810-300A-.3V	分割型, 300A-0.333V, Small	
		H6811-400A-.3V	分割型, 400A-0.333V, Medium	
		H6811-600A-.3V	分割型, 600A-0.333V, Medium	
		H6811-800A-.3V	分割型, 800A-0.333V, Medium	
		H6812-800A-.3V	分割型, 800A-0.333V, Large	
		H6812-1000A-.3V	分割型, 1000A-0.333V, Large	
		H6812-1200A-.3V	分割型, 1200A-0.333V, Large	
		H6812-1600A-.3V	分割型, 1600A-0.333V, Large	
		H6812-2000A-.3V	分割型, 2000A-0.333V, Large	
		H6812-2400A-.3V	分割型, 2400A-0.333V, Large	

・カレントセンサ(つづき)

	外 観	型 式	仕 様	備 考
センサ (電圧出力)		H6810-100A-1V	分割型, 100A-1.0V, Small	
		H6810-200A-1V	分割型, 200A-1.0V, Small	
		H6810-300A-1V	分割型, 300A-1.0V, Small	
		H6811-400A-1V	分割型, 400A-1.0V, Medium	
		H6811-600A-1V	分割型, 600A-1.0V, Medium	
		H6811-800A-1V	分割型, 800A-1.0V, Medium	
		H6812-800A-1V	分割型, 800A-1.0V, Large	
		H6812-1000A-1V	分割型, 1000A-1.0V, Large	
		H6812-1200A-1V	分割型, 1200A-1.0V, Large	
		H6812-1600A-1V	分割型, 1600A-1.0V, Large	
		H6812-2000A-1V	分割型, 2000A-1.0V, Large	
		H6812-2400A-1V	分割型, 2400A-1.0V, Large	

●エネルギーモニタシステム

	外 観	型 式	仕 様	備 考
電流モニタリング		H663SM-01	分割型, Modbus, 1CT, 50A, AC100V	
		H663SM-12	分割型, Modbus, 12CT, 50A, AC100V	
		H663SM-24	分割型, Modbus, 24CT, 50A, AC100V	
		H663SM-30	分割型, Modbus, 30CT, 50A, AC100V	
		H663SM-42	分割型, Modbus, 42CT, 50A, AC100V	
		H663SM-01E	分割型, Modbus, 1CT, 50A, AC200V	
		H663SM-12E	分割型, Modbus, 12CT, 50A, AC200V	
		H663SM-24E	分割型, Modbus, 24CT, 50A, AC200V	
		H663SM-30E	分割型, Modbus, 30CT, 50A, AC200V	
		H663SM-42E	分割型, Modbus, 42CT, 50A, AC200V	
		H663SM-12H	分割型, Modbus, 12CT, 100A, AC100V	
		H663SM-24H	分割型, Modbus, 24CT, 100A, AC100V	
		H663SM-42H	分割型, Modbus, 42CT, 100A, AC100V	
		H704-42	貫通型, Modbus, 42CT, 3/4", 50A, AC100V	
		H704-42/1	貫通型, Modbus, 42CT, 1", 50A, AC100V	
		H704-42E	貫通型, Modbus, 42CT, 3/4", 50A, AC200V	
		H704-42/1E	貫通型, Modbus, 42CT, 1", 50A, AC200V	
電力モニタリング		E30A042	貫通型, Modbus, 42CT, 3/4", 100A, AC100V	
		E30A084	貫通型, Modbus, 84CT, 3/4", 100A, AC100V	
		E30A142	貫通型, Modbus, 42CT, 1", 100A, AC100V	
		E30A184	貫通型, Modbus, 84CT, 1", 100A, AC100V	
		E30B042	貫通型, Modbus, 42CT, 3/4", 100A, AC100V	
		E30B084	貫通型, Modbus, 84CT, 3/4", 100A, AC100V	
		E30B142	貫通型, Modbus, 42CT, 1", 100A, AC100V	
		E30B184	貫通型, Modbus, 84CT, 1", 100A, AC100V	
		E30C042	貫通型, Modbus, 42CT, 3/4", 100A, AC100V	
		E30C084	貫通型, Modbus, 84CT, 3/4", 100A, AC100V	
		E30C142	貫通型, Modbus, 42CT, 1", 100A, AC100V	
		E30C184	貫通型, Modbus, 84CT, 1", 100A, AC100V	
		■ Boards		
		E31A002	Adv board plus 2 adapter boards	
		E31A004	Adv board plus 4 adapter boards	
		E31A42	Adv board, 2 adapter boards, 42 50A CTs	
		E31A84	Adv board, 4 adapter boards, 84 50A CTs	
		E31B002	Int board plus 2 adapter boards	
		E31B004	Int board plus 4 adapter boards	
		E31B42	Int board, 2 adapter boards, 42 50A CTs	
		E31B84	Int board, 4 adapter boards, 84 50A CTs	
		E31C002	Basic board plus 2 adapter boards	
		E31C004	Basic board plus 4 adapter boards	
		E31C42	Basic board, 2 adapter boards, 42 50A CTs	
		E31C84	Basic board, 4 adapter boards, 84 50A CTs	
		E31CTDB	2 – E31 Adapter Boards	
		■ CTs		
		E31CT0	50A CT six-pack, 6ft leads	
		E31CT0R20	50A CT six-pack, 20ft leads	
		E31CT2	Six pack, 100A CT, 4ft (1m) lead	
		■ Ribbon Cables		
		CBL008	Flat Ribbon cable for BCM, 1.5 ft (0.45m)	
		CBL016	Flat Ribbon cable for BCM, 4ft (1.2m)	
		CBL017	Flat Ribbon cable for BCM, 5ft (1.5m)	
		CBL018	Flat Ribbon cable for BCM, 6ft (1.8m)	
		CBL019	Flat Ribbon cable for BCM, 8ft (2.4m)	
		CBL020	Flat Ribbon cable for BCM, 10ft (3.0m)	
		CBL021	Flat Ribbon cable for BCM, 20ft (6.1m)	
		CBL022	Round Ribbon Cable, 4Ft (1.2m),	
		CBL023	Round Ribbon Cable, 10Ft (3m)	
		CBL024	Round Ribbon Cable, 20Ft (6m)	
		CBL025	Flat Ribbon cable 2m	
		CBL026	Flat Ribbon cable 4m	
		CBL027	Flat Ribbon cable 6m	

・エネルギーモニタシステム(つづき)

	外 観	型 式	仕 様	備 考
電力モニタリング		H8035-0100-2	分割型, 三相, 2データ, Modbus, 100A, Small	
		H8035-0300-2	分割型, 三相, 2データ, Modbus, 300A, Small	
		H8035-0400-3	分割型, 三相, 2データ, Modbus, 400A, Medium	
		H8035-0800-3	分割型, 三相, 2データ, Modbus, 800A, Medium	
		H8035-0800-4	分割型, 三相, 2データ, Modbus, 800A, Large	
		H8035-1600-4	分割型, 三相, 2データ, Modbus, 1600A, Large	
		H8035-2400-4	分割型, 三相, 2データ, Modbus, 2400A, Large	
		H8036-0100-2	分割型, 三相, 26データ, Modbus, 100A, Small	
		H8036-0300-2	分割型, 三相, 26データ, Modbus, 300A, Small	
		H8036-0400-3	分割型, 三相, 26データ, Modbus, 400A, Medium	
		H8036-0800-3	分割型, 三相, 26データ, Modbus, 800A, Medium	
		H8036-0800-4	分割型, 三相, 26データ, Modbus, 800A, Large	
		H8036-1600-4	分割型, 三相, 26データ, Modbus, 1600A, Large	
		H8036-2400-4	分割型, 三相, 26データ, Modbus, 2400A, Large	
		H8238	三相8回路, 26データ, 120VAC	
		H8238E	三相8回路, 26データ, 240VAC	
		H8238EL	三相8回路, 26データ, 240VAC, Low Baud	

●パワーメータ

	外 観	型 式	仕 様	備 考
C T 付 電 力 メ ー タ		H8150-0100-0-1	1CT, 120-240VAC, 100A, Micro	
		H8150-0100-0-2	2CT, 120-240VAC, 100A, Micro	
		H8150-0100-0-3	3CT, 120-240VAC, 100A, Micro	
		H8150-0200-1-1	1CT, 120-240VAC, 200A, Min	
		H8150-0200-1-2	2CT, 120-240VAC, 200A, Mini	
		H8150-0200-1-3	3CT, 120-240VAC, 200A, Mini	
		H8150-0300-2-1	1CT, 120-240VAC, 300A, Small	
		H8150-0300-2-2	2CT, 120-240VAC, 300A, Small	
		H8150-0300-2-3	3CT, 120-240VAC, 300A, Small	
		H8150-0400-3-2	2CT, 120-240VAC, 400A, Medium	
		H8150-0400-3-3	3CT, 120-240VAC, 400A, Medium	
		H8150-0800-3-2	2CT, 120-240VAC, 800A, Medium	
		H8150-0800-3-3	3CT, 120-240VAC, 800A, Medium	
		H8150-0800-4-3	3CT, 120-240VAC, 800A, Large	
		H8150-1600-4-3	3CT, 120-240VAC, 1600A, Large	
		H8150-2400-4-3	3CT, 120-240VAC, 2400A, Large	
		H8163-0100-0-1	1CT, 120-480VAC, 100A, Micro	
		H8163-0100-0-2	2CT, 120-480VAC, 100A, Micro	
		H8163-0100-0-3	3CT, 120-480VAC, 100A, Micro	
		H8163-0200-1-1	1CT, 120-480VAC, 200A, Mini	
		H8163-0200-1-2	2CT, 120-480VAC, 200A, Mini	
		H8163-0200-1-3	3CT, 120-480VAC, 200A, Mini	
		H8163-0300-2-1	1CT, 120-480VAC, 300A, Small	
		H8163-0300-2-2	2CT, 120-480VAC, 300A, Small	
		H8163-0300-2-3	3CT, 120-480VAC, 300A, Small	
		H8163-0400-3-2	2CT, 120-480VAC, 400A, Medium	
		H8163-0400-3-3	3CT, 120-480VAC, 400A, Medium	
		H8163-0800-3-2	2CT, 120-480VAC, 800A, Medium	
		H8163-0800-3-3	3CT, 120-480VAC, 800A, Medium	
		H8163-0800-4-3	3CT, 120-480VAC, 800A, Large	
		H8163-1600-4-3	3CT, 120-480VAC, 1600A, Large	
		H8163-2400-4-3	3CT, 120-480VAC, 2400A, Large	
		H8163-CB	Modbus コミュニケーションボード	
		H8186-CB	BACnet コミュニケーションボード	
高 精 度 電 力 メ ー タ		H8463V	盤設置型, 120-480VAC, Pulse/FDS	
		H8453V	盤設置型, 120-480VAC, Pulse/FDS	
		H8436V	盤設置型, 120-480VAC, Modbus/FDS	
		H8437V	盤設置型, 120-480VAC, Modbus/EDS	
		H8463VB	壁設置型, 120-480VAC, Pulse/FDS	
		H8453VB	壁設置型, 120-480VAC, Pulse/FDS	
		H8436VB	壁設置型, 120-480VAC, Modbus/FDS	
		H8437VB	壁設置型, 120-480VAC, Modbus/EDS	
		H8463VBS	壁設置型, 208-600VAC, Pulse/FDS	
		H8453VBS	壁設置型, 208-600VAC, Pulse/FDS	
		H8436VBS	壁設置型, 208-600VAC, Modbus/FDS	
		H8437VBS	壁設置型, 208-600VAC, Modbus/EDS	
		E50B1	DINレール, 90-600VAC, Pulse	
		E50C2	DINレール, 90-600VAC, Pulse+Modbus	

●ネットワークデバイス

	外 観	型 式	仕 様	備 考
表示器		H8932	N2 ネットワークディスプレイ	
		H8936	Modbus ネットワークディスプレイ	
サーバ		H8822	エネルギーサーバー, Ethernet	
		H8822GSM	エネルギーサーバー, GSM,	
変換器		H8923-4	パルス/アナログ → Modbus コンバータ	
L O N		H8920-1	H8036用 LonTalk ノード	
		H8920-3	H8150/H8163用 LonTalk ノード	
		H8920-4	H663/H704用 LonTalk ノード	
		H8920-5	H8035用 LonTalk ノード	